


FORLUX.EU

HIGH QUALITY CHEMICALS
SIMPLE TO USE, SAFE AND EFFECTIVE



PRODUCT SYMBOLS USED - WHAT DOES THEY MEAN?



FLOOR CARE PRODUCTS

Cleaning and Floor Care Concentrate

Application
the product is designed for hand washing and care of all water resistant floors with the exception of carpet. Cleans thoroughly, while thanks to its composition leaves a delicate layer of protection giving washed, specially suitable surface gloss.

Usage
Depending on the degree of soiling use dilution of 25 ml to 50 ml of the product for 5 liters of water. Wash the surface and allow to dry.

Available sizes and symbol
0.25 L – bottle with the dispenser - PCD 008
2 L - PC 208
5 L - PC 508



pH 8

Floor Machine Washing and Floor Care

Application
The product is for everyday machine cleaning and care of any waterproof flooring except carpet and wooden floors. Cleans thoroughly, while, thanks to caring compounds in its composition, leaves a soft protective layer, imparting washed specially suitable surface gloss and a pleasant smell.

Usage
Depending on the degree of soiling use dilution of 50 ml to 100 ml of the product for 10 liters of water. Wash the surface and allow to dry.

Available sizes and symbol
5 L - PC 509
200 L - PC 2009



pH 9

Universal Liquid for Highly Soiled Surfaces ForLux Lemon

Application
ForLux Lemon is designed for cleaning all washable surfaces and objects such as floors, stairs, cabinets, window sills, tiles, grout and cooking facilities. Cleans quickly and thoroughly while protecting the washed surfaces. Its long-lasting scent of lemon gives a feeling of purity in the washed areas. The citrus essential oils act as a deterrent to insects, which is especially important in the case of food stores, kitchens, food processing plants and other facilities where the presence of insects is not welcome.

Usage
Depending on the degree of soiling use dilution of 25 ml to 50 ml of the product for 5 liters of water. Wash the surface and allow to dry.

Available sizes and symbol
0.25 L - bottle with the dispenser - PCD 010
5 L - PC 510



pH 10

Everyday Cleaning and Care of Floors

Application
ForLux Floor Citrus is a universal liquid designed for everyday cleaning of all waterproof floors. It is perfect for cleaning cupboards, windowsills, glaze, fugues as well as external parts of kitchen appliances. It cleans thoroughly leaving a long-lasting scent of lemon which gives a feeling of purity in the washed areas.

Usage
Use 25 ml (one screw top volume) of the product for 5 liters of water. If the surface is soiled heavily, use appropriately more.

Available sizes / symbol
1 L / PCC 110
5L / PCC 510



pH 10

FLOOR CARE PRODUCTS

Everyday Cleaning and Care of Wooden Floors

Application

A concentrate based on the orange oil is designed for cleaning protected wooden floors. It also works perfectly on PVC floors, lacquered floors, terrazzo floors, floor panels, linoleum, terracotta etc. It removes grease effectively without making any streaks and leaving a long-lasting pleasant scent.

Usage

Depending on the degree of soiling, use 25-200 ml of the product for 10 liters of warm water. Clean the surface. No rinsing is required.

Available sizes / symbol

10 L / PCD 1009



pH 9

Highly Glossy Protective Coating for Floors

Application

Polymer preparation Forlux PP508 is designed to protect various types of hard floors, for example, PVC vinyl, linoleum, artificial and natural stone, etc. The coating is resistant to disinfectants, it has anti-skid properties and excellent offset any inequality substrate.

Usage

Before applying the first coat preparation Forlux PP508 must carefully remove the old, worn coat with leaflet Forlux Forte PG. Then wash the floor with water to neutralize. After drying the surface imposed using a clean mop and the first layer of the preparation Forlux PP508. Can impose another layer after drying the previous one. Depending on the substrate and the intensity of use (for example, near the entrance) is recommended the imposition of 2 or 3 layers of polymer. Productivity of Forlux PP is 6 liters of undiluted polymer surface to 100 m², with the imposition of 3 layers of uniform product.

Packages available

5 L / PP 508



pH 8

Thorough Cleaning and Stripping Forlux Forte

Purpose

Forlux Forte PG is designed for thorough washing machine scouring for alkaline-resistant surfaces. It works well with hand washing using a mop. Effectively removes the surface old dirt, grease, oil and rubber marks on the trolleys and shoes in supermarkets and factories. Forlux PG is well suited for the removal of any damaged protective coatings. Also used to maintain the cleanliness in health care and food processing plants and restaurants, also for the surfaces in contact with food (Attest of the State Higiene Office no. HZ/00100/01/2007).

Usage

Depending on the degree of soiling use dilution of 100 ml to 1000 ml of the product for 10 liters of water. Apply the solution to the cleaned floor and leave it up to 10 minutes, then scrub and soak up the dissolved dirt. When cleaning every day with the machine scouring used diluting 100 ml per 10 liters of water. To remove the old protective coating recommended dosage is 500 ml to 1000 ml per 10 liters of water.

Available sizes and symbol

0.25 L - PGD 014

2 L - PG 214

5 L - PG 514

200 L - PG 2014



pH 14

Thorough Wash of Cobblestones and Elevation

Application

Low foaming product designed for washing and after-treatment cleaning of cobblestones. It works perfectly on cobblestones, sidewalks, tile and concrete floorings, car parks, driveways and gas stations. Recommended for use in areas exposed to grease, oil as well as rubber and tires traces.

Usage

Use as a diluted solution. Washing by hand: use 50 ml for 5 liters of water. If using a machine: depending on the degree of soiling, use 25-100 ml for 5 liters of water. If the surface is soiled heavily, use appropriately more.

Available sizes / symbol

5 L / PGK 514



pH 14

Extracting Washing for Carpets

Application

Low foaming formulation Forlux WN 507 is designed for hand washing and machine washing of all types of carpet and textile linings. The product quickly and effectively remove various stains and dirt from the cleaned surface. Suitable for all types of cleaning machines extraction method (low foaming).

Usage

Depending on the dirt: light dirt - use light dilution: 0.5 L per 10 liters of water, dirt average: 0.5-1.0 L per 10 liters of water, strong dirt: up to 1,5 L per 10 liters of water. After pouring a working solution to clean the carpeting machine according to manufacture recommendations equipment.

Size and symbol

1 L / WN 107

5 L / WN 507



pH 7

Washing Foam for Linings

Application

High foaming formula Forlux WW 07 is designed for hand washing and machine washing for all types of carpet and textile linings. The product has excellent cleaning properties and life-giving colors. Effectively removes dust and mites, which may cause allergies. It is also recommended as a cleaning shampoo for new carpets, because increases their protection and extends durability of colors. Forlux WW 07 is designed for washing of large areas of carpets: carpets in shops, hotels, restaurants, offices, industrial and public buildings.

Usage

Depending on the quantity of the dirt, use light dilution: 0.5 L per 10 liters of water for the light dirt surfaces, average dirt: 1 L per 10 liters of water, strong dirt: 1.5 L per 10 liters of water. Hand cleaning: when you take a working solution fed to the foaming shampoo, for example, the sponge and then put the foam on the carpeting and light scrubbing, leaving it to dry. Machine cleaning: after pouring a working solution to the carpeting cleaning machine, clean the carpet according to equipment manufacturer recommendations.

Packages available and catalogue symbol

1 L / WN 107

5 L / WW 507



pH 7

Stairs and Sidewalks De-icing

Application

Granular formulation allowing to remove ice or snow. It is effective even up to -20°C. It does not make the ice melt but allows to break it and remove it from sidewalks, car parks, driveways, gas stations as well as schools' and stores' or hospitals' entrances. The product is safe for plants. Ice Killer is packed in a sealed bucket of 12 kg or 24 kg which protects it from moisture damage. The rectangular shape of the bucket – in contrast to the round one – makes it easier to store, move and use the shovel to doze. After using the product, it is possible to use the bucket for other purposes.

Usage

Depending on the temperature of air and thickness of the ice or snow, use 20-120 g of the product for every square meter. If the humidity is low, first wet the surface with water to help the product melt. After breaking the ice, remove it manually.

Weight / symbol / packaging

12 kg / PO 1210 / bucket
24 kg / PO 2410 / bucket



pH 10

Clean Grout

Application

Forlux SF01 is a highly concentrated liquid for thorough professional cleaning of grouts. It works immediately, it is simple to use, requires no scrubbing.

How to use

Cleaning grouts: pour the dirty grout with the dilution at a concentration of 1:1 with water - in the case of very tough stains, use a respectively higher concentration - wait for about 30-60 seconds to collect the dissolved dirt, and then - in order to neutralize pH of the cleaned surface - rinse thoroughly with water.

Note: the preparation should not be applied to the surface particularly sensitive to acidic agents such as plexiglass surfaces, skin, limestone, chromium metal, duralumin (an alloy of aluminum, copper and molybdenum). In case of any doubt make a small sensitivity test of the cleaned surface to the preparation.

Available packages and symbol

1L / SF 101
5L / SF 501



pH 1

SANITARY PRODUCTS

Preparations for Cleaning Sanitary, Stone and Rust

Application

Preparation Forlux SC is designed to clean all objects and surfaces in an operation of sanitary-resistant acid. Recommended to clean washbasins, toilets, urinals, shower cubicles and bathroom fittings. Guarantees excellent clarity and antibacterial activity. Removes the stone and rust.

Usage

Depending on the degree of dirt use the dilution 25-50 ml per 5 liters of water or - for very dirty areas - 25-50 ml per 0,5 liter spray-foam dispenser, adding to the full with cold water. In case of very dirty surfaces apply with foam dispenser and leave the foam for about 10 minutes, then rinse with water.

Available sizes

0,25L with dispenser / SCD 001
2L / SC 201
5L / SC 501



pH 1

Stone and Rust Remover Gel

Application

Ready to use gel Forlux SG is designed to clean all objects and surfaces in an operation of sanitary-resistant acid. Recommended to clean washbasins, toilets, urinals, shower cubicles and bathroom fittings. Guarantees excellent clarity and antibacterial activity. Removes the stone and rust. Facilitates consistency adhesion of the gel up to the vertical walls, which lengthens the duration of action and effectiveness. It has a very pleasant, fresh smell. Gel in a 0,75 liter bottle available in a "duck" package which allows to reach inaccessible places.

Usage

Bidets, lavatory shells: preparation poured into the toll area for up to 10 minutes and rinse. Sinks, fixtures: impose preparation with a sponge, wipe washed surfaces, rinse and wipe dry.

Available sizes

0,75L / SG 001
5L / SG 501



pH 1

Sanitary Citrus Stone and Rust ready to use

Application

Forlux SCC is a ready to use preparation designed to clean all objects and surfaces in an operation of sanitary-resistant acid. Recommended to clean washbasins, toilets, urinals, shower cubicles and bathroom fittings. Guarantees excellent clarity and antibacterial activity. Removes the stone and rust. Leaves a pleasant citrus scent.

Usage

Spryskać płynem zabrudzoną powierzchnię, w razie potrzeby przetrzeć. Powierzchnie chromowane spłukać wodą. Wytrzeć miękkim ręcznikiem papierowym lub szmatką do uzyskania naturalnego połysku.

Available sizes

0,5L / SCC 001



pH 1

Pipe Unblocker

Application

The product is used for unblocking drains, traps and pipes made of plastic, steel, cast iron, concrete and ceramics. It emulsifies and hydrolyzes fats, proteins and other organic deposits, causing their leaching from purified drains.

How to use

To the drain or siphon pour from 50 ml to 200 ml of the preparation, wait about 30 minutes and then rinse with plenty of water to flush sediment - and for pH neutralization.

Available packages and symbol

1L / SCU 101
5L / SCU 501



pH 1

WASHABLE SURFACES PRODUCTS

Preparation for Washable Surfaces



Applications

Preparation Forlux ZC is designed to clean all washable surfaces such as glass, furniture, marble, plastic surfaces. It cleans thoroughly and leaves no streaks. Gives the surface a perfect shine and leaves a pleasant scent. Also used to maintain the cleanliness in health care and food processing plants and restaurants, also to the surfaces in contact with food. Attest HZ/00100/01/2007.

Usage

Depending on the degree of soiling use dilution of 25 ml to 50 ml of the preparation for 5 liters of water. For small and dirt surfaces use 15 ml for 0.5 liter sprayer. Wash the surface, wait and collect the dissolved dirt.

Available sizes

0,25L with the dispenser / ZCD 007
2L / ZC 207
5L / ZC 507

pH 7

Surface Cleaner Based on the Extract of Orange



Applications

Preparation Forlux Orange is designed to clean all surfaces resistant to water, such as furniture, marble, plastic surfaces. Removes traces of pencil, pen and tracing paper. The product is well tolerated by the skin, gently working on the washed surface, leaving no streaks. Orange has a long-lasting fragrance gives a feeling of freshness in the washed areas. In the preparation of citrus essential oils act as a deterrent to insects, which is especially important in the case of food stores, kitchens, food processing plants and other facilities where the presence of insects is not welcome.

Usage

Depending on the degree of soiling use dilution of 50 ml to 200 ml of the Forlux Orange for 10 liters of water.

Available sizes

0,25L z dozownikiem / ZCD 008
2L / ZC 208
5L / ZC 508

pH 8

Window&Glass Cleaner



Purpose

Preparation Forlux Window Cleaner is designed to clean windows, mirrors and other glass surfaces such as shop and car windows, counters, etc. It also works well to clean other washable surfaces such as furniture, ceramic tiles, kitchen and shelves. Cleanses effectively and quickly without leaving streaks. It leaves a fresh, pleasant scent. Prevents the settling of dust.

Usage

Moisten fluid contaminated surface and wipe with paper towel or soft cloth to obtain a natural gloss. Heavily soiled surfaces should be wiped before washing with a damp cloth.

Composition

5-15% solvent soluble in water, <5% nonionic surfactants, fragrance.

Available sizes

0,5L / ZG 007
5L / ZG 507

pH 7

Anti-Fog Window&Glass Cleaner



Purpose

Preparation Anti-Fog Window&Glass Cleaner is designed to clean windows, mirrors and other glass surfaces such as shop and car windows, counters, etc. It also works well to clean other washable surfaces such as furniture, ceramic tiles, kitchen devices and shelves. Cleanses effectively and quickly without leaving streaks. Prevents the settling of dust and fog and increases the safeness of car drivers.

Usage

Moisten fluid contaminated surface and wipe with paper towel or soft cloth to obtain a natural gloss. Heavily soiled surfaces should be wiped before washing with a damp cloth.

Available sizes

0,5L with a sprinkler / ZAP 010
5L / ZAP 510

pH 10

Ready to Use Surface Cleaner



Application

Forlux UCC is a ready to use preparation designed to clean all washable surfaces such as furniture, marble, plastic surfaces, metal, tiles and glass. It cleans thoroughly and leaves no streaks. Gives the surface a perfect shine and leaves a pleasant citrus scent.

Usage

Ready to use product. Moisten the surface, wait and collect the dissolved dirt with a paper towel.

Available sizes
0,5L / UCC 007

pH 7

LCD Antistatic Cleaner



Application

LCD Antistatic Cleaner is designed for all types of LCD and plasma TV and computer screens, notebooks, lenses, eyeglasses etc.

Usage

Ready to use product. Moisten the surface, wait and collect the dissolved dirt with a soft cloth or soft paper towel or tissue.

Available size and symbol

100 ml with a sprinkler / ZLC 007

pH 7

Disinfection Concentrate

Application

Preparation designed to kill bacteria, viruses and fungi in public places and institutions, schools, homes etc. Also used to maintain the cleanliness in health care (including hospitals) and food processing plants and restaurants, also to the surfaces in contact with food. Used in Switzerland and EU countries. Attest no. PURPLWMP 4452/11.

Usage

Usually use 4% dilution. For detailed instruction and for health care or food processing industry usage see the product safety data sheet.

Available sizes

2 L with dispenser – PD 213
5 L – PD 513



pH 13

Refrigerator & Freezer Cleaner

Application

Forlux Refrigerator&Freezer Cleaner is a ready to use preparation designed to clean all frozen washable surfaces such as refrigerators, industry, shop and car freezers and glass – up to minus 25°C. It cleans with no necessity to defreeze, saving your time and money. It can be used to clean frozen floors as well - by hand or by the machine.

Usage

Ready to use product. Moisten the surface, wait and collect the dissolved dirt with a paper towel or a mop.

Available sizes

0.5 L with a sprinkler – PCH 110
5 L – PCH 510



pH 10

KITCHEN PRODUCTS

Machine Dishwashing

Application

Preparation Forlux NM14 is designed for everyday machine dishwashing. Especially recommended for strong fouling caused by fats, protein, starch and coffee and tea. Suitable for all types of water hardness. The best effect is obtained in conjunction with the preparation Forlux NN02 for polishing and shining. Product for professional use only.

Usage

The recommended dose of 1-3 ml per litre of water, depending on water hardness and degree of soiling dishes. It is used in temperatures from 35°C to 65°C. Application of appropriate measuring device and ensures optimal use of dispensing.

Available sizes

1 L – NM 114
5 L - NM 514
26 L/ 25 kg - NM 2614



pH 14

Polishing of Utensils in the Dishwasher

Application

The preparation for polishing Forlux NN dishes in a professional dishwasher. Suitable for all types of utensils and water hardness. Preparation prevent sediment from stone in the water wash zone to the dish washing machine. Delicately gives the dish a perfect shine. The effect of washing is best achieved in conjunction with a liquid for dishwashers Forlux NM 514. Product for professional use.

Usage

The recommended dose is 2-5 ml of wash cycle, depending on water hardness and type of dishwasher. Application of proper dispensing and dosing equipment ensures savings-see section accessories pump liquid rinse Forlux FH1.

Available sizes

1 L – NN 102
5 L - NN 502



pH 2

Machine Dishwashing and Polishing

Application

Preparation Forlux NM02 is designed for everyday machine dishwashing. Using this product one do no need to use any polishing liquid. Suitable for aluminum cleaning as well.

Usage

The recommended dose of 1-3 ml per litre of water, depending on water hardness and degree of soiling dishes. Application of appropriate measuring device and dosage ensures optimal use of dispensing.

Available sizes

5 L - NM 502
25 kg - NM 2502



pH 2

Removing Mineral Deposits - Stone Remover

Application

Forlux Stone Remover is highly concentrated liquid to remove mineral deposits (lime) in a mechanical dishwasher, barm, boilers and espresso maker. Safe for stainless steel, tiles, ceramics, glass and plastics. Contains substances that protect against corrosion. Should not be applied to the enamel, aluminum, galvanized steel and nonferrous metals. Preparation for professional use.

Usage

Apply dilution 20-30 ml on 1 litre of water. Apply directly to the items covered with stone, wait for a few to several minutes, rinse with water. For dishwashers: close the flow of detergent. Empty tank with the liquid washing, rinse with clean water installation. Scale removing preparations pour into a container dishwasher. Set to turn 60 degrees and dishwasher. At the end of the cycle, rinse with water twice.

Available size

5 L - NG 501



pH 1

KITCHEN PRODUCTS

Machine Washing Powder



Application

Thanks to the unique composition of highly effective ingredients, a universal machine washing powder NP10 designed and produced for Forlux in Germany guarantees remarkably efficient cleaning. It easily removes dirt made of grease, burnt food leftovers or eggs. Active oxygen successfully deals with coffee and tea stains. Carefully selected composition makes dishes sparkle. Enzymes active at 30°C allow dishes to be washed effectively at low temperatures. The water softener function makes more efficient use of the cleaning ingredients. Other ingredients used in the powder protects the dishwasher against limescale, letting it work properly.

Usage

Pour the powder into the appropriate dishwasher container, then close the dishwasher. Use 2-4 g of the powder for 1 liter of water. Do not pour the powder into the cutlery container or the regenerating salt container. Easy to handle rectangle plastic bucket is easy to store and protects the powder from the water and moisture. Close the lid after use not to let water or moisture get into the packaging.

Packaging and symbol

Bucket with handle - 3 kg / NP10

pH 10

Dishwasher Tablets



Application

Thanks to the unique composition of highly effective ingredients, the universal dishwasher tablets NT110 designed and produced for Forlux in Germany guarantees remarkably efficient cleaning. It easily removes dirt made of grease, burnt food leftovers or eggs. Active oxygen successfully deals with coffee and tea stains. Carefully selected composition makes dishes sparkle. Enzymes active at 30°C allow dishes to be washed effectively at low temperatures. The water softener function makes more efficient use of the cleaning ingredients. Other ingredients used in the powder protects the dishwasher against limescale letting it work properly.

Usage

Place a tablet in the dishwasher container designed for this purpose and close the dishwasher. Use 1 tablet for each dishwashing. Do not place the tablet to the cutlery container or to the regenerating salt container. The tablets container is sealed what protects it from moisture damage.

Packaging and symbol

Plastic container - 50 tablets / 1 kg / NT10

pH 10

Preparation for Scorched Surface - Grill Remover



Application

Preparation Forlux Grill Remover is designed for cleaning very greasy and burnt pots, pans, barbecue, fireplace glass, steam-convection ovens and other kitchen appliances. Contains corrosion inhibitors, it is biodegradable. After using the surface remains clean and shiny. The product should be used without dilution.

Usage

Apply the product on the burnt area and leave for a few minutes to response. For further wipe fat burnt sponge, rinse thoroughly with clean water and wipe dry.

Available sizes

0.5 L - NG 014
5 L - NG 514

pH 14

Hand Dishwashing Liquid



Application

Preparation Forlux NC is designed for everyday hand dishwashing. It also works well for cleaning various types of containers, instruments and equipment in abattoirs, confectioneries and bakeries. Thoroughly wash and sheen without leaving stains.

Usage

Add 5 ml of liquid (1 teaspoon) to 5 liters of water. Wash container or a dish, rinse with the water and allow to dry.

Available sizes and symbol

500 ml with a push-up - NC008
5 L (canister) - NC508

pH 8

Milky "Hair Trimmers" - Forlux Brush



Application

Delicate milky hair trimmers Forlux Brush NG 008 is designed to clean ovens, sinks, countertops, washbasins, flush toilet, tiles, shower cubicles and pans and tableware. Suitable for cleaning enamel surfaces and any other surfaces in the kitchen and bathroom. Effectively and quickly removes grease and various other resistant dirt, leaves clean and shiny surfaces without scratches and a pleasant, fresh lemon scent.

Usage

Apply directly to the cleaned surface. Clean the soiled areas, rinse with water and wipe dry in order to obtain shiny surfaces.

Available size

0.5 L - NG 008

pH 10

Kitchen Citrus



Purpose

Forlux Kitchen Citrus is a ready to use liquid designed for thorough hand washing for alkaline-resistant surfaces. Effectively removes the surface old dirt, grease and oil. Also used to maintain the cleanliness in health care and food processing areas and restaurants, also for the surfaces in contact with food. The product leaves a pleasant citrus scent. For professional use only.

Usage

Apply the solution to the cleaned surface and leave it for a moment, then scrub and soak up the dissolved dirt with a soft paper towel.

Available sizes and symbol

0.5 L with sprinkler - KGC 014
5 L - KGC 514

pH 14

SPECIALIZED PRODUCTS

Cleaning and Care of Furniture and Plastics



Application

Professional preparation ready to use spray for cleaning and maintenance of furniture, automobile dashboards and plastic. Preparation Forlux MMS is also suitable for cleaning and care of all the furniture of leather and imitation leather. Perfectly cleanses and protects against re-soiling. Refreshes the natural colour of the cleaned surface, gives it smoothness and shine. The product is not layered and leaves a pleasant scent.

Usage

Spray the cleaning surface with the preparation Forlux MMS and wipe with a dry cloth.

Capacity / symbol

0.5 L with a sprinkler / MMS

Cleaning and Maintenance of Stainless Steel Surfaces



Application

Forlux ZPS is ready for use preparation designed to maintain the surface of stainless steel or other metals. A special oil with preservative properties on the metal surface forms a uniform protective layer. Protective coating lusters the surface of the metal and protects it against re-soiling. After the procedure it does not leave streaks or any other coatings on the cleaned surface. With preparation Forlux ZPS dirt and stains are removed without scratching material. It can be used for washing lifts, railings, doors, dispensers, tables and all kinds of other surfaces made of stainless steel.

How to use

Spray the dry surface with Forlux ZPS and wipe it with a dry lint-free cloth. In the case of the heavily soiled surfaces it is recommended to wash them initially with a preparation Forlux PG Forte or Forlux Lemon in a concentration of 25-50 ml per 0.5 litre of water, then the washed surface should be rinsed with clean water.

Capacity / symbol

0.5 L with a sprinkler / ZPS 008

pH 8

Stain and Heavy Dirt Remover Spray



Properties

The preparation of a very efficient operation, has very good cleaning properties. The product is very efficient. By topical application removes dirt insoluble in water. Removes chewing gum, adhesives, tar and bitumen, copier ink and stamp ink, candle wax. It removes remains of labels with no problem.

Application

For water-resistant textile flooring with natural and artificial hair. For carpets and upholstered furniture.

How to use

Use without dilution. Spray, leave to act. Gather dirt with a clean, absorbent cloth. The chewing gum remove with a spatula. Before using the preparation check its operation in the place out of sight.

Capacity / symbol

250 ml aerosol / WG 007

Tough Difficult Dirt Cleaner



Properties

The preparation is a very potent stain, glue and dirt remover. It removes all which can not be dissolved in water, it copes well with stickers, labels, adhesive residues, rubber, ink, oil, grease, soot, tar and others.

Application

To the surface of plastic, PVC, glass, glass ceramic, stone and textiles.

How to use

The product is ready for use. Apply directly - spot on the cleaned surface, do not wait a moment longer than 5 minutes, then wash off with a dry cloth or paper towel.

Capacity / symbol

0.5 L with a sprinkler / UTZ014

pH 14

Forcolor Detergents Washing Powders



Application

Detergents FORLUX are high quality products designed for frequent washing of clothes white and colour (of solid colours): linen, cotton, synthetic and mixed. Also suitable for hand washing. For use in all types of washing machines and washers in the entire temperature range. Thanks to the right kind of enzymes effectively they remove dirt and stains from fruit, coffee, grass, kiwi fruit, tea and proteinaceous contamination: the sauces, eggs, milk and sweat already at 20°C. It lends laundered fabrics a pleasant and fresh scent.

Available packages

ForColor - 3 kg plastic bucket

Washing Powder - universal purpose - 5 kg plastic bucket

Stain Remover for White and Coloured Fabrics



Product description

Active oxygen - without chlorine - effectively removes stubborn stains from wine, coffee, tea, grass, cola, aqueous inks. It does not contain chlorine so that it is safe for fabrics and colours. It can be used for different types of fabrics: clothes, curtains, tablecloths, carpets, upholstery, etc. Powder form allows getting different forms of stain remover, among others aqueous solutions, slurries.

How to use

Stain removal in washing machines: put 2 tablespoons (30 g) to the "prewash drawer", add detergent, turn on the washing machine. For difficult stains add 2.5 tablespoons (about 37 g). Stain removal by soaking: dissolve 2 tablespoons (30 g) in 4 liters of hot water (up to 40°C). For tough stains use 4 tablespoons (about 60 g). Coloured fabrics soak for about 1 hour, the white fabric to 6 hours. Wash after soaking the fabric.

Capacity / symbol

500 g box / OT

pH 10

Air Fresheners

Application

Forlux air fresheners are ready to use preparations based on essential oils having a pleasant, fresh smell and long-term, several hours effect. The special formulation of liquid neutralizes odours, among other oppressive smell of tobacco smoke. They are used among other things to create nice smell in shops, offices, apartments, hotel rooms, toilets and car interior cabins. Also available in a small package with a capacity of 50 ml pump spray - it's worth to have it always with you: on trip, in the office, in your purse, in a hotel and in the car.

Fragrances

Coffee, White Tea, Green Tea, Vanilla, Black Grape, Red Apple, Lemon, Orange, Pine, Lilac, Floral, Aromatic.

How to use

Repeatedly spray the room

Capacity / packaging

50 ml with a sprinker

0.5 L with a sprinker

5L



CAR CARE PRODUCTS

Active Foam for Cleaning and Maintenance of Cars

Application

Active foam to wash and car care Forlux AC is designed for cleaning the external parts of cars. It removes perfectly organic and inorganic dirt, leaving no streaks and damp patches. It contains a gloss formula.

How to use

Dissolve the concentrate in water, spray the solution with a pressure or foam device sequentially from the lower parts to the top, wait for about one minute and then rinse thoroughly with water. Do not allow product to dry on the cleaned surface. Warm and matt surfaces lightly moisten with water. Do not expose the vehicle in the flaming sunshine.

Capacity / symbol / packaging

1L / AC 111

5L / AC 511

20L / AC 2011



pH 11

Autowax

Application

A very efficient car shampoo to the current manual washing of vehicles, giving the car bodies shine. Contained in it components form a protective shiny layer without streaks on the cleaned surface, which protects cleaned surfaces against the formation of corrosion and prevents against too rapid re-soiling.

How to use

Use at a dilution of 10 to 100 ml per 5 liters of water. The product should be applied with a sponge or soft brush, then rinse with water.

Available packages

5L / AW07



pH 7

Emulsion for Automotive Cockpits

Application

Very efficient preparation for the care and polishing of the cockpit. It maintains all plastic and rubber parts inside the car. It has anti-static properties, reduces the possibility of re- deposition of dust. It leaves the surface shiny and pleasantly scented.

How to use

The product is ready for use. Spray a small amount of emulsion on parts made of plastic, wood, leather or imitation leather, and then wipe it with the dust-free cloth. Do not use it for cleaning glass, watches and LCD screens, for which you can use liquids Forlux ZAP Antifog, Forlux Window&Glass Cleaner and Forlux LCD.

Available packaging / symbol

100 ml / AK



Active Foam for Washing Trucks and Engines

Application

A very strong active foam for washing vehicles, car body, tarpaulins, motors. It contains surfactants that protect the cleaned surfaces against the formation of corrosion and protect against too rapid re-soiling.

How to use

Shake well before use. Hand wash - from 25 to 500 ml per 5 litres of water. Spray application - from 50 to 125 ml per 5 litres of water. Application by foam lance - from 1:2 to 1:5 with water. Engine washing - from 1:15 to 1:30 with water. Once applied to the cleaning surface wait before rinsing, but do not allow to dry the working solution on the vehicle. Wash the cleaned surface with clean water, preferably under pressure.

Capacity / symbol / packaging

5L / AG014



pH 14

PRODUCTS FOR HAND HYGIENE

Pearl Soap for Washing Hands and Body

Application

Soap "Pearl" is a delicate pearl liquid for washing hands and body. With moisturizing substance protects the skin against excessive dryness and gently moisturizes the skin. It creates very nice foam and has a pleasant smell. Its pH is skin friendly.

Usage

Hand washing: apply a small amount of soap on your hands, add a little water and wash up in the manufacture of foam, then rinse with water.

Washing hair and body, bath / shower cleaning: Soap Pearl poured into a sponge, bath glove or directly onto wet skin or hair.

As the bubble bath: pour Soap Pearl into the bath before filling the bath with the water.

Available sizes

500 ml - HD 005
5 L - HD 505



pH 5,5

Antibacterial Soap

Application

A special liquid for washing hands and body for all types of skin. It has antibacterial effect. With moisturizing substance protects the skin against excessive dryness and gently moisturizes the skin.

Usage

Hand washing: apply a small amount of soap on your hands, add a little water and wash up to manufacture of foam, then rinse with water.

Available sizes

500 ml - RA 007
5 L - RA 507



pH 7

Hand Washing Antibacterial Gel

Application

A special gel for washing hands with no need the use of water. It has antibacterial effect. With moisturizing substance protects the skin against excessive dryness and gently moisturizes the skin. Small size makes it easy to carry and flip-top makes it easy to apply. Keep it in your car, in your purse, during the travel and sport activity, use it after enjoying contact with animals or working in the garden. Apply directly onto the skin, spread it on the whole surface of your hands, gently massage and let it dry. After a few seconds your hands will be clean.

Available size

100 ml - RZ 006



pH 6

Hand Washing Paste with Abrasive

Application

Paste Forlux RG is a thoroughly wash their hands with abrasive. Effectively removes even stubborn stains like: oil, grease, grease, soot, residue from the paint. Thanks, and substance shearing neutral pH factor is also suitable for frequent washing of hands. Contained ingredients in it to protect your hands from oiling excessive dryness of the skin. Is ideal for washing hands in workshops, factories and agriculture.

Usage

Dirty hands wet with warm water, rub a small amount of paste and wash thoroughly. Rinse thoroughly with water. You can use the paste directly from the bucket, but we recommend to use our special wall-mounted DOZRG dispenser or our special mounted-on-canister dispenser.

Available sizes

500 g - RG 006
5 kg (canister) - RG 506
5 kg (bucket) - RG 506/W



pH 6

Hand Cream - Care and Protection

Application

Hand Cream - Care and Protection - used for daily skin care of hands. With a high content of glycerin and a high degree of absorption, the cream penetrates into the deeper skin layers and maintains the moisture there up to 24 hours. Clearly moisturizes and nourishes the skin, improving its softness and flexibility. Leaves a delicate scent of lily of the valley. Its pH is neutral to the human skin.

Usage

Apply onto clean, dry hands, rub the cream and gently massage. Wait for a short time to help the cream penetrate deeper layers of your skin. Use after every wash of your hands to have the most spectacular effects.

Available size

500 ml - RK 005



pH 6

Foam Soap

Application

Gentle foam soap Forlux RP 05 is designed for washing hands and whole body. It perfectly washes, nourishes and refreshes the skin, leaving a subtle floral fragrance. Injecting the soap with a dispenser with pouring function of foaming (DOZ symbol MPP1), you will increase the yield fourfold: 5 liters of liquid soap foam are equivalent of 20 litres of standard liquid soap!

Available size

5 L - RP 05



pH 6

ACCESSORIES

EasyClean Cleaning Kit

Product
Forlux EasyClean cleaning kit it is a mop with a bucket with squeezer and spouts. EasyClean is a set of products targeted at a comfortable angle of use, performance and affordability. Ideal for use with other Forlux brand products.

Symbols
ECZ+M – one bucket, no wheels and a mop set
ECZK+M – one bucket on wheels and a mop set
ECZD+M – two buckets on wheels and a mop set



Professional Sprinkler

Different color hands of the sprinklers helps control the use of a chemical - for example, red - for the liquids used in a bathroom, yellow for the liquids used in a kitchen, blue – for the the liquids used for flat surfaces such as windows, furniture etc. – accordingly to the color of products for bathroom, kitchen and flat surfaces – and accordingly to the color of mop sticks used in different areas and yellow dishcloth and blue dustcloth.
Available colors: red, yellow and blue.

Item symbol:
BOT R, BOT Y, BOT B



Gloss Liquid Pumps

Gloss Liquid Pumps

GLOSS LIQUID PUMP PR 1 - performance 1 litre per hour at 3 bar back pressure, continuously adjustable.

GLOSS LIQUID PUMP NBR 04 - performance 0,4 litre per hour at 3 bar back pressure, regulation through TRIMMER.



Washing Fluid Pumps

Washing Fluid PUMP PR 4 - performance 4 litres per hour at 0.1 bar back pressure, continuously adjustable.

Washing Fluid PUMP NBR 3 - performance 3 litres per hour at 0.1 bar back pressure, regulation through TRIMMER.



Dosing and Dilution Dispenser

Automatic dispenser Promax 4 can be mounted on the wall, allowing accurate dosing and dilution of concentrated chemicals (able to adjust the dosage levels of 1, 2, 3 or 4 different concentrates of chemicals, it is optional with the button or lever.




Dispenser for Workshop Handpaste

Wall-mounted transparent dispenser for Forlux RG handpaste has capacity of 2500 ml – allows 300 to 500 dosages of handpaste.
Dimensions: H 340mm / W150mm / D150mm

Symbol
DOZ RG





Interplus Ltd.

Ordonia 2A

01-237 Warsaw

Poland

tel. +48 501 325 011

tel. +48 228 624 090

fax: +48 228 623 927

export@forlux.eu

www.ForLux.eu

The catalogue does not constitute an offer within the meaning of the Civil Code.

Some products may be modified, added or withdrawn from the offer.

The list of products is constantly being expanded.

For product safety data sheets

and current and complete information about Forlux products and promotions,

we encourage you to visit our website www.forlux.eu and

contact your nearest distributor.

